

A

PTO/SB/05 (12/97)

Approved for use through 09/30/00. OMB 0651-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

## UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications under 37 CFR 1.53(b))

**Attorney Docket No.** 003242.P015

Total Pages 2

**First Named Inventor or Application Identifier** Jean-Didier Allegrucci

**Express Mail Label No.** EL672752451US

**ADDRESS TO: Assistant Commissioner for Patents  
Box Patent Application  
Washington, D. C. 20231**

## APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

1.   X   Fee Transmittal Form  
(Submit an original, and a duplicate for fee processing)
2.   X   Specification (Total Pages   13  )  
(preferred arrangement set forth below)
  - Descriptive Title of the Invention
  - Cross References to Related Applications
  - Statement Regarding Fed sponsored R & D
  - Reference to Microfiche Appendix
  - Background of the Invention
  - Brief Summary of the Invention
  - Brief Description of the Drawings (if filed)
  - Detailed Description
  - Claims
  - Abstract of the Disclosure
3.   X   Drawings(s) (35 USC 113) (Total Sheets   3  )
4.        Oath or Declaration (Total Pages    )
  - a.     Newly Executed (Original or Copy)
  - b.     Copy from a Prior Application (37 CFR 1.63(d))  
(for Continuation/Divisional with Box 17 completed) (**Note Box 5 below**)
  - i.     DELETIONS OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b).
5.        Incorporation By Reference (useable if Box 4b is checked)  
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
6.        Microfiche Computer Program (Appendix)

12/01/97

- 1 -

PTO/SB/05 (12/97)

7. \_\_\_\_\_ Nucleotide and/or Amino Acid Sequence Submission  
(if applicable, all necessary)

- a. \_\_\_\_\_ Computer Readable Copy  
b. \_\_\_\_\_ Paper Copy (identical to computer copy)  
c. \_\_\_\_\_ Statement verifying identity of above copies

**ACCOMPANYING APPLICATION PARTS**

8. \_\_\_\_\_ Assignment Papers (cover sheet & documents(s))
9. \_\_\_\_\_ a. 37 CFR 3.73(b) Statement (where there is an assignee)  
\_\_\_\_\_ b. Power of Attorney
10. \_\_\_\_\_ English Translation Document (if applicable)
11. \_\_\_\_\_ a. Information Disclosure Statement (IDS)/PTO-1449  
\_\_\_\_\_ b. Copies of IDS Citations
12. \_\_\_\_\_ Preliminary Amendment
13.  X  Return Receipt Postcard (MPEP 503) (Should be specifically itemized)
14. \_\_\_\_\_ a. Small Entity Statement(s)  
\_\_\_\_\_ b. Statement filed in prior application, Status still proper and desired
15. \_\_\_\_\_ Certified Copy of Priority Document(s) (if foreign priority is claimed)
16.  X  Other:  Certificate of Express Mail with copy of postcard showing contents of   
 Express Mail package.

17. If a **CONTINUING APPLICATION**, check appropriate box and supply the requisite information:

\_\_\_\_\_ Continuation \_\_\_\_\_ Divisional \_\_\_\_\_ Continuation-in-part (CIP)  
of prior application No: \_\_\_\_\_

**18. Correspondence Address**

\_\_\_\_\_ Customer Number or Bar Code Label \_\_\_\_\_  
(Insert Customer No. or Attach Bar Code Label here)  
or

X  Correspondence Address Below

NAME  Tom Van Zandt   
 BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP

ADDRESS  12400 Wilshire Boulevard   
 Seventh Floor

CITY  Los Angeles  STATE  California  ZIP CODE  90025-1026

Country  U.S.A.  TELEPHONE  (408) 720-8598  FAX  (408) 720-9397

**FEE TRANSMITTAL FOR FY 2000****TOTAL AMOUNT OF PAYMENT (\$)** 710.00**Complete if Known:****Application No.** Not yet assigned**Filing Date** Herewith**First Named Inventor** Jean-Didier Allegrucci**Group Art Unit** Not yet assigned**Examiner Name** Not yet assigned**Attorney Docket No.** 003242.P015**METHOD OF PAYMENT (check one)**

1. ☒ **The Commissioner is hereby authorized to charge indicated fees and credit any over payments to:**

**Deposit Account Number** 02-2666**Deposit Account Name** \_\_\_\_\_

- ☒ **Charge Any Additional Fee Required Under 37 CFR 1.16 and 1.17**

2. ☒ **Payment Enclosed:**

☒ **Check**  
☐ **Money Order**  
☐ **Other**

**FEE CALCULATION****1. BASIC FILING FEE**

| <u>Large Entity</u> |                 | <u>Small Entity</u> |                 | <u>Fee Description</u>             | <u>Fee Paid</u>         |
|---------------------|-----------------|---------------------|-----------------|------------------------------------|-------------------------|
| <u>Code</u>         | <u>Fee (\$)</u> | <u>Code</u>         | <u>Fee (\$)</u> |                                    |                         |
| 101                 | 690             | 201                 | 345             | Utility application filing fee     | <u>710.00</u>           |
| 106                 | 310             | 206                 | 155             | Design application filing fee      | _____                   |
| 107                 | 480             | 207                 | 240             | Plant filing fee                   | _____                   |
| 108                 | 690             | 208                 | 345             | Reissue filing fee                 | _____                   |
| 114                 | 150             | 214                 | 75              | Provisional application filing fee | _____                   |
| <b>SUBTOTAL (1)</b> |                 |                     |                 |                                    | <b>\$ <u>710.00</u></b> |

**2. EXTRA CLAIM FEES**

|                           |           | <u>Extra Claims</u> | <u>Fee from below</u> | <u>Fee Paid</u>                    |
|---------------------------|-----------|---------------------|-----------------------|------------------------------------|
| <b>Total Claims</b>       | <u>18</u> | <b>- 20** =</b>     | <u>0</u>              | <b>X</b> <u>18.00</u> = <u>.00</u> |
| <b>Independent Claims</b> | <u>3</u>  | <b>- 3** =</b>      | <u>0</u>              | <b>X</b> <u>80.00</u> = <u>.00</u> |
| <b>Multiple Dependent</b> |           |                     |                       | _____ = _____                      |

**\*\*Or number previously paid, if greater; For Reissues, see below.**

| <u>Large Entity</u> |                 | <u>Small Entity</u> |                 | <u>Fee Description</u>                                    |                 |
|---------------------|-----------------|---------------------|-----------------|---|-----------------|
| <u>Code</u>         | <u>Fee (\$)</u> | <u>Code</u>         | <u>Fee (\$)</u> |   |                 |
| 103                 | 18              | 203                 | 9               | Claims in excess of 20                                    |                 |
| 102                 | 80              | 202                 | 40              | Independent claims in excess of 3                         |                 |
| 104                 | 270             | 204                 | 135             | Multiple dependent claim, if not paid                     |                 |
| 109                 | 80              | 209                 | 40              | **Reissue independent claims over original patent         |                 |
| 110                 | 18              | 210                 | 9               | **Reissue claims in excess of 20 and over original patent |                 |
| <b>SUBTOTAL (2)</b> |                 |                     |                 |   | <b>\$ _____</b> |

01/10/2000

- 1 -

PTO/SB/17 (6/99)

Patent fees are subject to annual revisions. Small Entity payments must be supported by a small entity statement, otherwise large entity fees must be paid.

See Forms PTO/SB/09-12

**FEE CALCULATION (continued)****3. ADDITIONAL FEES**

| <u>Large Entity</u>       |                 | <u>Small Entity</u> |                 | <u>Fee Description</u>   | <u>Fee Paid</u> |
|---------------------------|-----------------|---------------------|-----------------|--|-----------------|
| <u>Fee Code</u>           | <u>Fee (\$)</u> | <u>Fee Code</u>     | <u>Fee (\$)</u> |  |                 |
| 105                       | 130             | 205                 | 65              | Surcharge - late filing fee or oath  | _____           |
| 127                       | 50              | 227                 | 25              | Surcharge - late provisional filing fee or cover sheet                     | _____           |
| 139                       | 130             | 139                 | 130             | Non-English specification  | _____           |
| 147                       | 2,520           | 147                 | 2,520           | For filing a request for reexamination                                     | _____           |
| 112                       | 920*            | 112                 | 920*            | Requesting publication of SIR prior to Examiner action                     | _____           |
| 113                       | 1,840*          | 113                 | 1,840*          | Requesting publication of SIR after Examiner action                        | _____           |
| 115                       | 110             | 215                 | 55              | Extension for response within first month                                  | _____           |
| 116                       | 380             | 216                 | 190             | Extension for response within second month                                 | _____           |
| 117                       | 870             | 217                 | 435             | Extension for response within third month                                  | _____           |
| 118                       | 1,360           | 218                 | 680             | Extension for response within fourth month                                 | _____           |
| 128                       | 1,850           | 228                 | 925             | Extension for response within fifth month                                  | _____           |
| 119                       | 300             | 219                 | 150             | Notice of Appeal   | _____           |
| 120                       | 300             | 220                 | 150             | Filing a brief in support of an appeal                                     | _____           |
| 121                       | 260             | 221                 | 130             | Request for oral hearing   | _____           |
| 138                       | 1,510           | 138                 | 1,510           | Petition to institute a public use proceeding                              | _____           |
| 140                       | 110             | 240                 | 55              | Petition to revive unavoidably abandoned application                       | _____           |
| 141                       | 1,210           | 241                 | 605             | Petition to revive unintentionally abandoned application                   | _____           |
| 142                       | 1,210           | 242                 | 605             | Utility issue fee (or reissue)   | _____           |
| 143                       | 430             | 243                 | 215             | Design issue fee   | _____           |
| 144                       | 580             | 244                 | 290             | Plant issue fee  | _____           |
| 122                       | 130             | 122                 | 130             | Petitions to the Commissioner  | _____           |
| 123                       | 50              | 123                 | 50              | Petitions related to provisional applications                              | _____           |
| 126                       | 240             | 126                 | 240             | Submission of Information Disclosure Stmt                                  | _____           |
| 581                       | 40              | 581                 | 40              | Recording each patent assignment per property (times number of properties) | _____           |
| 146                       | 690             | 246                 | 345             | For filing a submission after final rejection (see 37 CFR 1.129(a))        | _____           |
| 149                       | 690             | 249                 | 345             | For each additional invention to be examined (see 37 CFR 1.129(a))         | _____           |
| Other fee (specify) _____ |                 |                     |                 |  | _____           |
| Other fee (specify) _____ |                 |                     |                 |  | _____           |

**SUBTOTAL (3) \$** \_\_\_\_\_

\*Reduced by Basic Filing Fee Paid

**SUBMITTED BY:**Typed or Printed Name: Tom Van ZandtSignature  Date \_\_\_\_\_Reg. Number 43,219 Deposit Account User ID \_\_\_\_\_

(complete if applicable)

UNITED STATES PATENT APPLICATION  
FOR  
DIAGNOSTIC SCHEME FOR PROGRAMMABLE LOGIC IN A CONFIGURABLE  
SYSTEM ON A CHIP

First Named Inventor:

JEAN-DIDIER ALLEG RUCCI

PREPARED BY:

BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP  
12400 WILSHIRE BOULEVARD  
SEVENTH FLOOR  
LOS ANGELES, CA 90025-1026

(408) 720-8300

"Express Mail" mailing label number

EL67275247US

Date of Deposit:

11/3/00

I hereby certify that I am causing this paper or fee to be deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231

JUANITA BRISCOE

(Typed or printed name of person mailing paper or fee)

*Juanita Briscoe*

(Signature of person mailing paper or fee)

Date

# DIAGNOSTIC SCHEME FOR PROGRAMMABLE LOGIC IN A SYSTEM ON A CHIP

## FIELD OF THE INVENTION

The present invention relates generally to diagnostic methods for  
5 programmable logic, and more specifically to accessing programmable logic in a  
system on a chip bus-based system.

## BACKGROUND

A recent development in micro-electronics is the configurable system on a  
chip (CSOC). The system integrates a CPU, an internal system bus, and  
10 programmable logic, also referred to as configurable system logic (CSL). The  
various system resources are all interconnected, and communicating through an  
internal system bus, on a single piece of silicon. The internal system bus signals and  
various dedicated system resource signals that connect to the CSL are collectively  
referred to as the configurable system interconnect or CSI. There are two types of  
15 pins, dedicated pins to interface with external devices (e.g., external memory) and  
programmable pins that can serve as an interface to other user logic. The dedicated  
processor bus and system resources provide an efficient and stable high performance  
system, while the configurable system logic provides flexibility for the user to  
implement additional functions. There are many benefits to embedding the  
20 programmable logic, including time-to-market, integration, and flexibility. The  
downside of embedding the programmable logic is that the signals are not directly  
accessible (i.e., observable and controllable) by the engineer charged with system  
debugging. Many of the signals that are of considerable interest when debugging a  
system are now buried inside the device. As a result, system debugging and trouble-  
25 shooting capability can be severely limited.

## SUMMARY OF THE INVENTION

A method is described for diagnosing programmable hardware in a programmable logic system. The method comprises ceasing bus access upon the occurrence of a specified event or sequence of events while allowing the completion of all pending transactions. When all pending transactions are completed the system  
5 clock is stopped such that the state of the programmable hardware is held static. The static state of the hardware is then accessed through a debug port. An apparatus and a machine readable medium that implement the method are also described.

Other features and advantages of the present invention will be apparent from the accompanying drawings and from the detailed description that follows below.

## BRIEF DESCRIPTION OF THE DRAWINGS

The present invention is illustrated by way of example and not limitation in the figures of the accompanying drawings, in which like references indicate similar elements and in which:

- 5           Figure 1 is a block diagram of a configurable system on a chip;
- Figure 2 is a timing diagram for the clock freeze operation; and
- Figure 3 is flow chart of the clock freezing process of an embodiment of the present invention.



## DETAILED DESCRIPTION

An embodiment of the present invention will provide a more efficient method of debugging user-implemented hardware in a configurable system on a chip. An embodiment of the invention allows the user to freeze the clock upon the occurrence of a user-specified event while avoiding the possibility that the clock will be frozen in a wait state. In one embodiment of the present invention the breakpoint unit of the system is programmable and will issue a clock freeze event upon the occurrence of a programmed event or sequence of events. The bus arbiter will cease granting bus access at this time, but will allow all pending transactions to be completed. The system can be stopped and the state of the system at a particular point can be viewed for debugging purposes. This method provides the user with a “snapshot” of the system at a desired time.

An intended advantage of one embodiment of the invention is to provide the user with the state of the system at a given time for debugging purposes. Another intended advantage of one embodiment of the invention is to ensure that the system is not currently in a wait state when the system clock is stopped. This allows the bus to be used by the debugging port.

Figure 1 is a block diagram of a configurable system on a chip. The system 100 shown in Figure 1 includes those portions of a CSOC relevant to an embodiment of the present invention, although a variety of different computing systems can implement the present invention. The system 100 shown in Figure 1 includes a configurable system logic 105, which is coupled to the rest of the system through the configurable system interconnect 110 CSI. The rest of the system 125 includes the CPU, DMA, peripherals, counters, timers, memory, and memory interfaces. The system includes a debug joint test action group (JTAG) port 115 that is connected to

a user input device 120 that is external to the chip, for example, a computer. The debug JTAG port 115 is a busmaster on the CSI bus 110 and therefore has access to any resources connected to the CSI bus 110. This includes the breakpoint unit 130, so that the user can program the breakpoint unit 130 through the JTAG port 115. In one embodiment the breakpoint unit 130 connects to, and allows tracing of, multiple buses and includes the ability to break on the occurrence of a predetermined bus event on any one of the multiple buses. In one embodiment the breakpoint unit 130 may be connected to, and programmed by, a host debugging system via a port on the target chip.

The breakpoint unit monitors the CSI bus 110. The user programs the breakpoint unit 130 to break on a specific condition or sequence of events. The breakpoint unit 130 may be configured to generate one or more output signals upon a breakpoint event. The output signals may be used to interrupt or freeze a processor, depending on the processor's supported features. So, for example, the user may program the breakpoint unit 130 to break as soon as there is a write to a specific register address. As soon as that happens, the breakpoint unit 130 generates a breakpoint event (e.g., the breakpoint unit 130 generates a clock freeze cycle). The clock freeze signal is propagated to the system clock. However, due to the pipeline nature of the bus, there may be pending operations from the bus that are being executed. For example, before the write signal that triggered the breakpoint there may have been a read that was being executed. That read may be to an external memory device that takes several cycles to execute and may, therefore, be in a wait state. There could be many other examples of accessing something in the configurable system logic that might have generated a wait state prior to the breakpoint event. All of these transactions must be terminated prior to freezing the

clock. If the transactions were not completed the system might be frozen while in a wait state, which would render the CSI bus 110 inoperable. The bus arbiter 135 is monitoring the CSI bus 110. In one embodiment the bus arbiter 135 is a state machine that implements a round-robin arbitration algorithm. One function of the bus arbiter 135 is to receive access requests from the several bus masters and grant access to a particular bus master after each clock cycle based on the arbitration algorithm. Another function of the bus arbiter 135 is to keep track of all transactions on the CSI bus 110 for debugging purposes. When the bus arbiter 135 receives a clock freeze signal from the breakpoint unit 130, the bus arbiter 135 stops granting access on the CSI bus 110. The bus arbiter 135 then waits for pending transactions to be completed and then allows the clock to be frozen, because only at this point can it be guaranteed that there won't be any wait states generated and that's because there are no more transactions pending on the bus.

Figure 2 is an example of a timing diagram for the clock freeze operation discussed above in reference to Figure 1. At  $T_0$  Figure 2 is an example of a waveform diagram for the clock freeze operation discussed above in reference to Figure 1. The system clock 205 is functioning, the CSL clock 220 is functioning and therefore any requests, for example a DMA bus request 225, is granted. The DMA grant signal 230 is high, indicating that requests, for example DMA request 225, are being granted. At some time,  $T_1$ , a clock freeze event occurs and the clock freeze event 210 goes high. At this point the arbiter stops granting any requests. The DMA grant line 230 goes low, indicating that no CSI requests will be granted. However, the qualified clock freeze signal 215 remains low, and remains low until some time,  $T_3$ , where the last pending transaction is completed. The bus arbiter is aware of the last pending transaction completion. When the last pending transaction is complete

the bus arbiter transmits the qualified clock freeze signal, and qualified clock freeze  
215 goes high. The qualified clock freeze signal freezes the CSL clock as indicated  
by CSL clock signal 220 which stays high during the debugging process.

Figure 3 describes the process by which the clock is frozen accordance with  
5 one embodiment of the present invention. Process 300 shown in Figure 3 begins at  
operation 305 in which a breakpoint event occurs. The breakpoint unit has been  
programmed by the user to break on specific conditions or sequences of events. At  
operation 310, the breakpoint unit sends a clock freeze signal to the bus arbiter. The  
bus arbiter then stops granting requests for the bus at operation 315. At operation  
10 320, the bus arbiter checks for any pending operations on the bus. If there are  
pending operations on the bus, the bus arbiter checks to see if they are complete in  
operation 325. If they are not complete, the arbiter continues to monitor. If the  
arbiter finds that they are complete in operation 330, the arbiter then sends the  
qualified clock freeze signal to the CSL clock and the system is frozen. At this point,  
15 because there are no further transactions pending, there will be no wait state  
generated. Therefore the problem of freezing the system in a wait state is avoided.  
The user may now access the system from the bus and continue with debugging  
through the JTAG debugging port.

The process of the present invention may be implemented through use of a  
20 machine-readable medium that includes any mechanism that provides (i.e. stores  
and/or transmits information in a form readable by a machine (e.g., a computer). For  
example, a machine-readable medium includes read only memory (ROM); random  
access memory (RAM); magnetic disk storage media; optical storage media; flash  
memory devices; electrical, optical, acoustical or other form of propagated signals  
25 (e.g., carrier waves, infrared signals, digital signals, etc.); etc.

In the foregoing specification, the invention has been described with reference to specific exemplary embodiments thereof. It will, however, be evident that various modifications and changes may be made thereto without departing from the broader spirit and scope of the invention as set forth in the appended claims. The  
5 specification and drawings are, accordingly, to be regarded in an illustrative rather than a restrictive sense.

## CLAIMS

What is claimed is:

- 1           1.       A method comprising:  
2                    ceasing bus access, in a configurable system on a chip, upon the  
3       occurrence of a specified event;  
4                    allowing completion of all pending bus transactions;  
5                    stopping the system clock such that the state of the hardware is held  
6       static; and  
7                    accessing the static state of the hardware through a debug port.
- 1           2.       The method of claim 1, wherein the bus is a pipeline bus.
- 1           3.       The method of claim 1, wherein the debug port is a bus master.
- 1           4.       The method of claim 1, wherein allowing completion of all pending  
2       bus transactions includes monitoring the bus for pending bus transactions.
- 1           5.       The method of claim 4, wherein allowing completion of all pending  
2       bus transactions further includes generating a qualified clock freeze cycle upon  
3       completion of all pending bus transactions.
- 1           6.       The method of claim 1, wherein the specified event is programmed by  
2       a user.

- 1           7.       A machine-readable medium that provides executable instructions,  
2       which when executed by a processor, cause said processor to perform a method  
3       comprising:  
4                ceasing bus access, in a configurable system on a chip, upon the  
5       occurrence of a specified event;  
6                allowing completion of all pending bus transactions;  
7                stopping the system clock such that the state of the hardware is held  
8       static; and  
9                accessing the static state of the hardware through a debug port.
- 1           8.       The machine-readable medium of claim 7, wherein the bus is a  
2       pipeline bus.
- 1           9.       The machine-readable medium of claim 7, wherein the debug port is a  
2       bus master.
- 1           10.      The machine-readable medium of claim 7, wherein allowing  
2       completion of all pending bus transactions includes monitoring the bus for pending  
3       bus transactions.
- 1           11.      The machine-readable medium of claim 10, wherein allowing  
2       completion of all pending bus transactions further includes generating a qualified  
3       clock freeze cycle upon completion of all pending bus transactions.

1           12.    The machine-readable medium of claim 7, wherein the specified event  
2    is programmed by a user.

1           13.    An apparatus comprising:  
2                   means to cease bus access, in a configurable system on a chip, upon  
3    the occurrence of a specified event;  
4                   means to allow completion of all pending bus transactions;  
5                   means to stop the system clock such that the state of the hardware is  
6    held static; and  
7                   means to access the static state of the hardware through a debug port.

1           14.    The apparatus of claim 13, wherein the bus is a pipeline bus.

1           15.    The apparatus of claim 13, wherein the debug port is a bus master.

1           16.    The apparatus of claim 13, wherein allowing completion of all  
2    pending bus transactions includes monitoring the bus for pending bus transactions.

1           17.    The apparatus of claim 16, wherein allowing completion of all  
2                   pending bus transactions further includes generating a qualified clock freeze  
3    cycle upon completion of all pending bus transactions.

1           18.    The apparatus of claim 13, wherein the specified event is programmed  
2    by a user.



## ABSTRACT

A scheme for freezing the clock of a CSOC to obtain a static view of the hardware for debugging purposes. A breakpoint unit is programmed to break on specific conditions or sequence of events. The breakpoint unit monitors the bus.

- 5 Upon the occurrence of the programmed event the breakpoint unit generates a clock freeze signal. The clock freeze event signal is input to the bus arbiter which causes the bus arbiter to stop granting access to the bus to any bus master except the debug port. The bus arbiter checks for pending transactions on the bus and monitors the completion of any pending transactions. This ensures that the system will not be
- 10 frozen while in a wait state which would render the bus inoperable. Once all pending transactions are complete, the bus arbiter generates a qualified clock freeze signal to the CSL clock thereby freezing the system for debugging.




Fig. 1

CSOC Block Diagram




Fig. 2

Clock Freeze Timing Diagram




Fig. 3